


Willoughby Locking Systems



WLS-1760 Stainless Steel Mechanical Lock



Recommended Specifications

The WLS-1760 series Mechanical lock is used in high security applications for slam closing and automatic locking is of a high priority in Governmental and Industrial buildings. The WLS-1760 series can be used with a paracentric or Mogul type cylinder and key.

Standard lock shall include:

- High security and impact resistant
- 3/4" bolt throw
- Latch size is 2" x 3/4"
- Lock case, cover and latch are constructed from cast stainless steel utilizing hardened brass key, cylinder and tumblers
- Lever tumblers are designed with 'anti-pick' notches for both the locked and unlocked positions
- Key-way depths are designed to impede of 'picking' of locks
- Key is made of bronze alloy and machined to fit smoothly into lock (sold separately)

To specify fixture and accessories, use the Model Number and Options page.

Example: To specify a stainless steel mechanical lock, left hand lock, & keyed one side

Use the following Willoughby Model Number:
WLS-1760-LH-K1



WARNING: Cancer and Reproductive Harm

- www.P65Warnings.ca.gov

visit our website at www.willoughbylocks.com
5105 West 78th Street • Indianapolis, IN. 46268
(317) 875-0830 • Fax: (317) 875-0837 • (800) 428-4065



MADE IN THE U.S.A.

MODEL NUMBER AND OPTIONS:

1.) Model Number:

- ☐ WLS-1760 Stainless Steel Mechanical Lock, Paracentric Cylinder
- ☐ WLS-1760M Stainless Steel Mechanical Lock, Mogul Cylinder

2) Swing Position:

- ☐ IS In Swing
 - ☐ LH Left Hand Lock
 - ☐ RH Right Hand Lock
- ☐ OS Out Swing
 - ☐ LHR Left Hand Reverse Lock
 - ☐ RHR Right Hand Reverse Lock

3) Keyed:

- ☐ K1 Keyed One Side
- ☐ K2 Keyed Both Sides
- ☐ Other _____

4) Strike plate:

- ☐ S Strike plate
- ☐ SD Strike plate w/ Dust Box
- ☐ SS Strike plate w/ Indication Switch

5) Escutcheon:


- ☐ EC1 1-Way Escutcheon

6) Mounting:


- ☐ HM Hollow Metal
 - ☐ Flush
 - ☐ Surface

STRIKE PLATE MOUNTING DIMENSIONS




S - STRIKE PLATE




SB - STRIKE PLATE W/ DUST BOX




SS - STRIKE PLATE W/ INDICATION SWITCH



IN SWING



OUT SWING



DRAWINGS ARE FOR REFERENCE ONLY, CONTACT FACTORY TO VERIFY DIMENSIONS

WILLOUGHBY RESERVES THE RIGHT TO MAKE CHANGES IN DESIGN AND DIMENSIONS WITHOUT FORMAL NOTICE AND WITHOUT INCURRING OBLIGATION.

visit our website at www.willoughbylocks.com

5105 West 78th Street • Indianapolis, IN. 46268


(317) 875-0830 • Fax: (317) 875-0837 • (800) 428-4065




MADE IN THE U.S.A.

MODEL NUMBER AND OPTIONS:


LOCK HANDING CHART




KEYED K1 HINGED SIDE
HOLLOW METAL MOUNTING PLATE
(FOR OUT-SWING DOORS)



KEYED K1 STOP SIDE
HOLLOW METAL MOUNTING PLATE
(FOR IN-SWING DOORS)



KEYED K2
HOLLOW METAL MOUNTING PLATE
(FOR OUT-SWING DOORS)



KEYED K2
HOLLOW METAL MOUNTING PLATE
(FOR IN-SWING DOORS)

DRAWINGS ARE FOR REFERENCE ONLY, CONTACT FACTORY TO VERIFY DIMENSIONS

WILLOUGHBY RESERVES THE RIGHT TO MAKE CHANGES IN DESIGN AND
DIMENSIONS WITHOUT FORMAL NOTICE AND WITHOUT INCURRING OBLIGATION.

visit our website at www.willoughbylocks.com

5105 West 78th Street • Indianapolis, IN. 46268
(317) 875-0830 • Fax: (317) 875-0837 • (800) 428-4065



MADE IN THE U.S.A.